

Siemens Corporation
Attn: Elsa Keller, Legal Administrator
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

PATENT APPLICATION
Attorney Docket No.: 2003P17999US
Express Mail Label No.: EV335968773US
Date of Deposit: March 9, 2004

22857 U.S.PTO
10/7996733
030904



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

TRANSMITTAL LETTER FOR NEW APPLICATION

Sir:

Transmitted herewith for filing is a(n) Original patent application.
 Utility Design Continuation-in-part application

INVENTOR(S): Dimitre Hristov Hristov

TITLE: TIME-BASED SYSTEM TO LINK PERIODIC
X-RAY IMAGES

Enclosed with this Transmittal (submitted in duplicate) are:

Forty-six (46) Total pages in patent application, consisting of
Nineteen (19) pages description;
Nine (9) pages of claims;
One (1) page abstract; and
Seventeen (17) sheets of drawings formal informal drawings (one set)
 The Declaration and Power of Attorney signed unsigned
 Assignment Transmittal and Assignment signed unsigned
 Information Disclosure Statement and Form 1449 with one (1) reference(s)
 Filing fee has been calculated as shown below (other than small entity):

For	Number Filed	Number Extra	Rate	Additional Fees
Total Claims	42 - 20	= 22	x \$ 18	\$ 396.00
Indep. Claims	2 - 3	= 0	x \$ 86	\$ -0-
<input type="checkbox"/> First Presentation of a Multiple Dependent Claim			+ \$290	\$ -0-
Basic filing Fee				\$ 770.00
			Total	\$1,166.00

Please charge my Deposit Account No. 19-2179 in the amount of \$1,166.00. The Commissioner is hereby authorized to charge any fees that may be required, or credit any overpayment to Deposit Account No. 19-2179 pursuant to 37 CFR 1.25. A duplicate copy of this sheet is enclosed.

PLEASE MAIL CORRESPONDENCE TO:
Siemens Corporation
Attn: Elsa Keller, Legal Administrator
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

Respectfully submitted,


Jenny G. Ko, Reg. No. 44,190
Attorney(s) for Applicant(s)
Telephone: 650-694-5810
Date: 3/9/04